

COMPARATIVE CHART

| E-Collar | CHAMELEON® IV | CHAMELEON® III B | MICRO IV | MICRO B |
|------------------------------|--|--|--|--|
| Picture |  |  |  |  |
| Technologies | <ul style="list-style-type: none"> <input checked="" type="checkbox"/> B (Bluetooth Connectivity) <input checked="" type="checkbox"/> Chameleon® <input checked="" type="checkbox"/> Contact Measurement <input checked="" type="checkbox"/> S.S.C. (Stimulation à Sensation Constante) <input checked="" type="checkbox"/> NHT (New High Technology) <input checked="" type="checkbox"/> Radio Range Feedback | <ul style="list-style-type: none"> <input checked="" type="checkbox"/> B (Bluetooth Connectivity) <input checked="" type="checkbox"/> Chameleon® <input checked="" type="checkbox"/> Contact Measurement <input checked="" type="checkbox"/> S.S.C. (Stimulation à Sensation Constante) <input checked="" type="checkbox"/> NHT (New High Technology) <input checked="" type="checkbox"/> Radio Range Feedback | <ul style="list-style-type: none"> <input checked="" type="checkbox"/> B (Bluetooth Connectivity) <input checked="" type="checkbox"/> Chameleon® <input checked="" type="checkbox"/> Contact Measurement <input checked="" type="checkbox"/> S.S.C. (Stimulation à Sensation Constante) <input checked="" type="checkbox"/> NHT (New High Technology) <input checked="" type="checkbox"/> Radio Range Feedback | <ul style="list-style-type: none"> <input checked="" type="checkbox"/> B (Bluetooth Connectivity) <input checked="" type="checkbox"/> Chameleon® <input checked="" type="checkbox"/> Contact Measurement <input checked="" type="checkbox"/> S.S.C. (Stimulation à Sensation Constante) <input checked="" type="checkbox"/> NHT (New High Technology) <input checked="" type="checkbox"/> Radio Range Feedback |
| Size | Small: 195x28x18mm Medium: 262x28x18mm Large: 329x28x18mm | Small: 195x28x18mm Medium: 262x28x18mm Large: 329x28x18mm | 35x55x22mm | 35x55x22mm |
| Weight | Small: 104g Medium: 126g Large: 147g | Small: 104g Medium: 126g Large: 147g | 34g | 34g |
| Rechargeable | <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Wireless <input checked="" type="checkbox"/> Cable | <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Wireless <input checked="" type="checkbox"/> Cable | <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Wireless <input checked="" type="checkbox"/> Cable | <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Wireless <input checked="" type="checkbox"/> Cable |
| Waterproof | <input checked="" type="checkbox"/> Yes |
| Contact Points Compatibility | <ul style="list-style-type: none"> <input checked="" type="checkbox"/> 9mm contact points for Micro <input checked="" type="checkbox"/> 11mm contact points for Micro <input checked="" type="checkbox"/> 13mm contact points for Micro <input checked="" type="checkbox"/> 14mm contact points for Micro with pinch <input checked="" type="checkbox"/> 15mm injected contact points <input checked="" type="checkbox"/> 19mm injected contact points <input checked="" type="checkbox"/> Strong Feather contact | <ul style="list-style-type: none"> <input checked="" type="checkbox"/> 9mm contact points for Micro <input checked="" type="checkbox"/> 11mm contact points for Micro <input checked="" type="checkbox"/> 13mm contact points for Micro <input checked="" type="checkbox"/> 14mm contact points for Micro with pinch <input checked="" type="checkbox"/> 15mm injected contact points <input checked="" type="checkbox"/> 19mm injected contact points <input checked="" type="checkbox"/> Strong Feather contact | <ul style="list-style-type: none"> <input checked="" type="checkbox"/> 9mm contact points for Micro <input checked="" type="checkbox"/> 11mm contact points for Micro <input checked="" type="checkbox"/> 13mm contact points for Micro <input checked="" type="checkbox"/> 14mm contact points for Micro with pinch <input checked="" type="checkbox"/> 15mm injected contact points <input checked="" type="checkbox"/> 19mm injected contact points <input checked="" type="checkbox"/> Strong Feather contact | <ul style="list-style-type: none"> <input checked="" type="checkbox"/> 9mm contact points for Micro <input checked="" type="checkbox"/> 11mm contact points for Micro <input checked="" type="checkbox"/> 13mm contact points for Micro <input checked="" type="checkbox"/> 14mm contact points for Micro with pinch <input checked="" type="checkbox"/> 15mm injected contact points <input checked="" type="checkbox"/> 19mm injected contact points <input checked="" type="checkbox"/> Strong Feather contact |
| Extender Compatibility | <input checked="" type="checkbox"/> N/A | <input checked="" type="checkbox"/> N/A | <input checked="" type="checkbox"/> Chameleon® Extender Martin System | <input checked="" type="checkbox"/> Chameleon® Extender Martin System |

COMPARATIVE CHART

| CHAMELEON® IV | | | |
|--|--|--|---|
| Transmitter | CTT 4 | K9 | PT3000 (newer model only) |
| Picture |  |  |  |
| Radio Range Feedback on transmitter ¹ | <input checked="" type="checkbox"/> Contact measurement data <input checked="" type="checkbox"/> Temperature of the collar (°C or °F) <input checked="" type="checkbox"/> Battery level <input checked="" type="checkbox"/> Radio Quality of Signal | <input type="checkbox"/> Contact measurement data <input type="checkbox"/> Temperature of the collar (°C or °F) <input type="checkbox"/> Battery level <input type="checkbox"/> Radio Quality of Signal | <input type="checkbox"/> Contact measurement data <input type="checkbox"/> Temperature of the collar (°C or °F) <input type="checkbox"/> Battery level <input type="checkbox"/> Radio Quality of Signal |
| Doggify Connectivity | <input checked="" type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver | <input checked="" type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver | <input type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver |
| Range Under Optimal Conditions ² | Up to 1000 meters | Up to 1000 meters | Up to 1500 meters |
| Possibility to add extra collar(s) receiver(s) | <input checked="" type="checkbox"/> 1 to 2 collars | <input checked="" type="checkbox"/> 1 to 4 collars | <input checked="" type="checkbox"/> 2 collars |
| Finger Kick Compatibility | 1 per stimulation buttons | 1 per stimulation buttons | 1 per stimulation buttons |
| Stimulation | 18 levels – 2 to 4 buttons per dogs | 18 levels – 1 to 4 buttons per dogs | 18 levels – 2 buttons per dogs |
| Operating Mode (with/without Tone) | <input checked="" type="checkbox"/> Clicker <input checked="" type="checkbox"/> Continuous <input checked="" type="checkbox"/> Flash <input checked="" type="checkbox"/> Rising <input checked="" type="checkbox"/> Decreasing <input checked="" type="checkbox"/> Warning Tone (sound cannot be disable) | <input checked="" type="checkbox"/> Clicker <input checked="" type="checkbox"/> Continuous <input checked="" type="checkbox"/> Flash <input checked="" type="checkbox"/> Rising <input checked="" type="checkbox"/> Decreasing <input checked="" type="checkbox"/> Warning Tone (sound cannot be disable) | <input checked="" type="checkbox"/> Clicker <input checked="" type="checkbox"/> Continuous <input checked="" type="checkbox"/> Flash <input checked="" type="checkbox"/> Rising <input type="checkbox"/> Decreasing <input checked="" type="checkbox"/> Warning Tone (sound cannot be disable) |
| Rechargeable | <input checked="" type="checkbox"/> Transmitter: USB and Wireless <input checked="" type="checkbox"/> Receiver: Cable and Wireless | <input checked="" type="checkbox"/> Transmitter: USB and Wireless <input checked="" type="checkbox"/> Receiver: Cable and Wireless | <input type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver: Cable and Wireless |
| Waterproof | <input checked="" type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver | <input checked="" type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver | <input type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver |
| Backlit display | <input checked="" type="checkbox"/> Backlit display | <input checked="" type="checkbox"/> Backlit display | <input type="checkbox"/> Backlit display |
| Available in kit (Finger Kick included) | <input checked="" type="checkbox"/> Available in kit | <input type="checkbox"/> Available in kit | <input type="checkbox"/> Available in kit |

COMPARATIVE CHART

| CHAMELEON® III B | | | |
|--|--|--|--|
| Transmitter | CTT 4 | K9 | PT3000 |
| Picture |  |  |  |
| Radio Range Feedback on transmitter ¹ | <input checked="" type="checkbox"/> Contact measurement data <input checked="" type="checkbox"/> Temperature of the collar (°C or °F) <input checked="" type="checkbox"/> Battery level <input checked="" type="checkbox"/> Radio Quality of Signal | <input checked="" type="checkbox"/> Contact measurement data <input checked="" type="checkbox"/> Temperature of the collar (°C or °F) <input checked="" type="checkbox"/> Battery level <input checked="" type="checkbox"/> Radio Quality of Signal | <input checked="" type="checkbox"/> Contact measurement data <input checked="" type="checkbox"/> Temperature of the collar (°C or °F) <input checked="" type="checkbox"/> Battery level <input checked="" type="checkbox"/> Radio Quality of Signal |
| Doggify Connectivity | <input checked="" type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver | <input checked="" type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver | <input checked="" type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver |
| Range Under Optimal Conditions ² | Up to 1000 meters | Up to 1000 meters | Up to 1500 meters |
| Possibility to add extra collar(s) receiver(s) | <input checked="" type="checkbox"/> 1 to 2 collars | <input checked="" type="checkbox"/> 1 to 4 collars | <input checked="" type="checkbox"/> 2 collars |
| Finger Kick Compatibility | 1 per stimulation buttons | 1 per stimulation buttons | 1 per stimulation buttons |
| Stimulation | 18 levels – 2 to 4 buttons per dogs | 18 levels – 1 to 4 buttons per dogs | 18 levels – 2 buttons per dogs |
| Operating Mode (with/without Tone) | <input checked="" type="checkbox"/> Clicker <input checked="" type="checkbox"/> Continuous <input checked="" type="checkbox"/> Flash <input checked="" type="checkbox"/> Rising <input checked="" type="checkbox"/> Decreasing <input checked="" type="checkbox"/> Warning Tone (sound cannot be disable) | <input checked="" type="checkbox"/> Clicker <input checked="" type="checkbox"/> Continuous <input checked="" type="checkbox"/> Flash <input checked="" type="checkbox"/> Rising <input checked="" type="checkbox"/> Decreasing <input checked="" type="checkbox"/> Warning Tone (sound cannot be disable) | <input checked="" type="checkbox"/> Clicker <input checked="" type="checkbox"/> Continuous <input checked="" type="checkbox"/> Flash <input checked="" type="checkbox"/> Rising <input checked="" type="checkbox"/> Decreasing <input checked="" type="checkbox"/> Warning Tone (sound cannot be disable) |
| Rechargeable | <input checked="" type="checkbox"/> Transmitter: USB and Wireless <input checked="" type="checkbox"/> Receiver: Cable and Wireless | <input checked="" type="checkbox"/> Transmitter: USB and Wireless <input checked="" type="checkbox"/> Receiver: Cable and Wireless | <input checked="" type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver: Cable and Wireless |
| Waterproof | <input checked="" type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver | <input checked="" type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver | <input checked="" type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver |
| Backlit display | <input checked="" type="checkbox"/> Backlit display | <input checked="" type="checkbox"/> Backlit display | <input checked="" type="checkbox"/> Backlit display |
| Available in kit (Finger Kick included) | <input checked="" type="checkbox"/> Available in kit | <input checked="" type="checkbox"/> Available in kit | <input checked="" type="checkbox"/> Available in kit |

COMPARATIVE CHART

| MICRO IV | | | |
|--|--|--|---|
| Transmitter | CTT 4 | K9 | PT3000 (newer model only) |
| Picture |  |  |  |
| Radio Range Feedback on transmitter ¹ | <input checked="" type="checkbox"/> Contact measurement data <input checked="" type="checkbox"/> Temperature of the collar (°C or °F) <input checked="" type="checkbox"/> Battery level <input checked="" type="checkbox"/> Radio Quality of Signal | <input type="checkbox"/> Contact measurement data <input type="checkbox"/> Temperature of the collar (°C or °F) <input type="checkbox"/> Battery level <input type="checkbox"/> Radio Quality of Signal | <input type="checkbox"/> Contact measurement data <input type="checkbox"/> Temperature of the collar (°C or °F) <input type="checkbox"/> Battery level <input type="checkbox"/> Radio Quality of Signal |
| Doggify Connectivity | <input checked="" type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver | <input checked="" type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver | <input type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver |
| Range Under Optimal Conditions ² | Up to 1000 meters | Up to 1000 meters | Up to 1500 meters |
| Possibility to add extra collar(s) receiver(s) | <input checked="" type="checkbox"/> 1 to 2 collars | <input checked="" type="checkbox"/> 1 to 4 collars | <input checked="" type="checkbox"/> 2 collars |
| Finger Kick Compatibility | 1 per stimulation buttons | 1 per stimulation buttons | 1 per stimulation buttons |
| Stimulation | 18 levels – 2 to 4 buttons per dogs | 18 levels – 1 to 4 buttons per dogs | 18 levels – 2 buttons per dogs |
| Operating Mode (with/without Tone) | <input checked="" type="checkbox"/> Clicker <input checked="" type="checkbox"/> Continuous <input checked="" type="checkbox"/> Flash <input checked="" type="checkbox"/> Rising <input checked="" type="checkbox"/> Decreasing <input checked="" type="checkbox"/> Warning Tone (sound cannot be disable) | <input checked="" type="checkbox"/> Clicker <input checked="" type="checkbox"/> Continuous <input checked="" type="checkbox"/> Flash <input checked="" type="checkbox"/> Rising <input checked="" type="checkbox"/> Decreasing <input checked="" type="checkbox"/> Warning Tone (sound cannot be disable) | <input checked="" type="checkbox"/> Clicker <input checked="" type="checkbox"/> Continuous <input checked="" type="checkbox"/> Flash <input checked="" type="checkbox"/> Rising <input type="checkbox"/> Decreasing <input checked="" type="checkbox"/> Warning Tone (sound cannot be disable) |
| Rechargeable | <input checked="" type="checkbox"/> Transmitter: USB and Wireless <input checked="" type="checkbox"/> Receiver: Cable | <input checked="" type="checkbox"/> Transmitter: USB and Wireless <input checked="" type="checkbox"/> Receiver: Cable | <input type="checkbox"/> Transmitter: USB and Wireless <input checked="" type="checkbox"/> Receiver: Cable |
| Waterproof | <input checked="" type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver | <input checked="" type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver | <input type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver |
| Backlit display | <input checked="" type="checkbox"/> Backlit display | <input checked="" type="checkbox"/> Backlit display | <input type="checkbox"/> Backlit display |
| Available in kit (Finger Kick included) | <input checked="" type="checkbox"/> Available in kit | <input type="checkbox"/> Available in kit | <input type="checkbox"/> Available in kit |

COMPARATIVE CHART

| MICRO TRAINER B | | | |
|--|--|--|--|
| Transmitter | CTT 4 | K9 | PT3000 |
| Picture |  |  |  |
| Radio Range Feedback on transmitter ¹ | <input checked="" type="checkbox"/> Contact measurement data <input checked="" type="checkbox"/> Temperature of the collar (°C or °F) <input checked="" type="checkbox"/> Battery level <input checked="" type="checkbox"/> Radio Quality of Signal | <input checked="" type="checkbox"/> Contact measurement data <input checked="" type="checkbox"/> Temperature of the collar (°C or °F) <input checked="" type="checkbox"/> Battery level <input checked="" type="checkbox"/> Radio Quality of Signal | <input checked="" type="checkbox"/> Contact measurement data <input checked="" type="checkbox"/> Temperature of the collar (°C or °F) <input checked="" type="checkbox"/> Battery level <input checked="" type="checkbox"/> Radio Quality of Signal |
| Doggify Connectivity | <input checked="" type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver | <input checked="" type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver | <input checked="" type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver |
| Range Under Optimal Conditions ² | Up to 1000 meters | Up to 1000 meters | Up to 1500 meters |
| Possibility to add extra collar(s) receiver(s) | <input checked="" type="checkbox"/> 1 to 2 collars | <input checked="" type="checkbox"/> 1 to 4 collars | <input checked="" type="checkbox"/> 2 collars |
| Finger Kick Compatibility | 1 per stimulation buttons | 1 per stimulation buttons | 1 per stimulation buttons |
| Stimulation | 18 levels – 2 to 4 buttons per dogs | 18 levels – 1 to 4 buttons per dogs | 18 levels – 2 buttons per dogs |
| Operating Mode (with/without Tone) | <input checked="" type="checkbox"/> Clicker <input checked="" type="checkbox"/> Continuous <input checked="" type="checkbox"/> Flash <input checked="" type="checkbox"/> Rising <input checked="" type="checkbox"/> Decreasing <input checked="" type="checkbox"/> Warning Tone (sound cannot be disable) | <input checked="" type="checkbox"/> Clicker <input checked="" type="checkbox"/> Continuous <input checked="" type="checkbox"/> Flash <input checked="" type="checkbox"/> Rising <input checked="" type="checkbox"/> Decreasing <input checked="" type="checkbox"/> Warning Tone (sound cannot be disable) | <input checked="" type="checkbox"/> Clicker <input checked="" type="checkbox"/> Continuous <input checked="" type="checkbox"/> Flash <input checked="" type="checkbox"/> Rising <input checked="" type="checkbox"/> Decreasing <input checked="" type="checkbox"/> Warning Tone (sound cannot be disable) |
| Rechargeable | <input checked="" type="checkbox"/> Transmitter: USB and Wireless <input checked="" type="checkbox"/> Receiver: Cable | <input checked="" type="checkbox"/> Transmitter: USB and Wireless <input checked="" type="checkbox"/> Receiver: Cable | <input checked="" type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver: Cable |
| Waterproof | <input checked="" type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver | <input checked="" type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver | <input checked="" type="checkbox"/> Transmitter <input checked="" type="checkbox"/> Receiver |
| Backlit display | <input checked="" type="checkbox"/> Backlit display | <input checked="" type="checkbox"/> Backlit display | <input checked="" type="checkbox"/> Backlit display |
| Available in kit (Finger Kick included) | <input checked="" type="checkbox"/> Available in kit | <input checked="" type="checkbox"/> Available in kit | <input checked="" type="checkbox"/> Available in kit |