








## COMPARATIVE CHART




E-Collar	CHAMELEON® IV	CHAMELEON® III B	MICRO IV	MICRO B
Picture				
Technologies	<ul style="list-style-type: none"> <li>✔ B (Bluetooth Connectivity)</li> <li>✔ Chameleon®</li> <li>✔ Contact Measurement</li> <li>✔ S.S.C. (Stimulation à Sensation Constante)</li> <li>✔ NHT (New High Technology)</li> <li>✔ Radio Range Feedback</li> </ul>	<ul style="list-style-type: none"> <li>✔ B (Bluetooth Connectivity)</li> <li>✔ Chameleon®</li> <li>✔ Contact Measurement</li> <li>✔ S.S.C. (Stimulation à Sensation Constante)</li> <li>✔ NHT (New High Technology)</li> <li>✘ Radio Range Feedback</li> </ul>	<ul style="list-style-type: none"> <li>✔ B (Bluetooth Connectivity)</li> <li>✘ Chameleon®</li> <li>✔ Contact Measurement</li> <li>✔ S.S.C. (Stimulation à Sensation Constante)</li> <li>✔ NHT (New High Technology)</li> <li>✔ Radio Range Feedback</li> </ul>	<ul style="list-style-type: none"> <li>✔ B (Bluetooth Connectivity)</li> <li>✘ Chameleon®</li> <li>✔ Contact Measurement</li> <li>✔ S.S.C. (Stimulation à Sensation Constante)</li> <li>✔ NHT (New High Technology)</li> <li>✘ Radio Range Feedback</li> </ul>
Size	Small: 195x28x18mm Medium: 281x28x18mm Large: 354x28x18mm	Small: 195x28x18mm Medium: 281x28x18mm Large: 354x28x18mm	35x55x22mm	35x55x22mm
Weight	Small: 104g Medium: 126g Large: 147g	Small: 104g Medium: 126g Large: 147g	34g	34g
Rechargeable	<ul style="list-style-type: none"> <li>✔ Wireless</li> <li>✔ Cable</li> </ul>	<ul style="list-style-type: none"> <li>✔ Wireless</li> <li>✔ Cable</li> </ul>	<ul style="list-style-type: none"> <li>✘ Wireless</li> <li>✔ Cable</li> </ul>	<ul style="list-style-type: none"> <li>✘ Wireless</li> <li>✔ Cable</li> </ul>
Waterproof	✔ Yes	✔ Yes	✔ Yes	✔ Yes
Contact Points Compatibility	<ul style="list-style-type: none"> <li>✘ 9mm contact points for Micro</li> <li>✘ 11mm contact points for Micro</li> <li>✘ 13mm contact points for Micro</li> <li>✘ 14mm contact points for Micro with pinch</li> <li>✔ 15mm injected contact points</li> <li>✔ 19mm injected contact points</li> <li>✔ Strong Feather contact</li> </ul>	<ul style="list-style-type: none"> <li>✘ 9mm contact points for Micro</li> <li>✘ 11mm contact points for Micro</li> <li>✘ 13mm contact points for Micro</li> <li>✘ 14mm contact points for Micro with pinch</li> <li>✔ 15mm injected contact points</li> <li>✔ 19mm injected contact points</li> <li>✔ Strong Feather contact</li> </ul>	<ul style="list-style-type: none"> <li>✔ 9mm contact points for Micro</li> <li>✔ 11mm contact points for Micro</li> <li>✔ 13mm contact points for Micro</li> <li>✔ 14mm contact points for Micro with pinch</li> <li>✘ 15mm injected contact points</li> <li>✘ 19mm injected contact points</li> <li>✘ Strong Feather contact</li> </ul>	<ul style="list-style-type: none"> <li>✔ 9mm contact points for Micro</li> <li>✔ 11mm contact points for Micro</li> <li>✔ 13mm contact points for Micro</li> <li>✔ 14mm contact points for Micro with pinch</li> <li>✘ 15mm injected contact points</li> <li>✘ 19mm injected contact points</li> <li>✘ Strong Feather contact</li> </ul>
Extender Compatibility	✘ N/A	✘ N/A	✔ Chameleon® Extender Martin System	✔ Chameleon® Extender Martin System

## COMPARATIVE CHART

CHAMELEON <sup>IV</sup>			
Transmitter	CTT 4	K9	PT3000 <small>(newer model only)</small>
Picture			
Radio Range Feedback on transmitter <sup>1</sup>	<ul style="list-style-type: none"> <li>✔ Contact measurement data</li> <li>✔ Temperature of the collar (°C or °F)</li> <li>✔ Battery level</li> <li>✔ Radio Quality of Signal</li> </ul>	<ul style="list-style-type: none"> <li>✘ Contact measurement data</li> <li>✘ Temperature of the collar (°C or °F)</li> <li>✘ Battery level</li> <li>✘ Radio Quality of Signal</li> </ul>	<ul style="list-style-type: none"> <li>✘ Contact measurement data</li> <li>✘ Temperature of the collar (°C or °F)</li> <li>✘ Battery level</li> <li>✘ Radio Quality of Signal</li> </ul>
Doggify Connectivity	<ul style="list-style-type: none"> <li>✔ Transmitter</li> <li>✔ Receiver</li> </ul>	<ul style="list-style-type: none"> <li>✔ Transmitter</li> <li>✔ Receiver</li> </ul>	<ul style="list-style-type: none"> <li>✘ Transmitter</li> <li>✔ Receiver</li> </ul>
Range Under Optimal Conditions <sup>2</sup>	Up to 1000 meters	Up to 1000 meters	Up to 1500 meters
Possibility to add extra collar(s) receiver(s)	✔ 1 to 2 collars	✔ 1 to 4 collars	✔ 2 collars
Finger Kick Compatibility	1 per stimulation buttons	1 per stimulation buttons	1 per stimulation buttons
Stimulation	18 levels – 2 to 4 buttons per dogs	18 levels – 1 to 4 buttons per dogs	18 levels – 2 buttons per dogs
Operating Mode (with/without Tone)	<ul style="list-style-type: none"> <li>✔ Clicker</li> <li>✔ Continuous</li> <li>✔ Flash</li> <li>✔ Rising</li> <li>✔ Decreasing</li> <li>✔ Warning Tone (sound cannot be disable)</li> </ul>	<ul style="list-style-type: none"> <li>✔ Clicker</li> <li>✔ Continuous</li> <li>✔ Flash</li> <li>✔ Rising</li> <li>✔ Decreasing</li> <li>✔ Warning Tone (sound cannot be disable)</li> </ul>	<ul style="list-style-type: none"> <li>✔ Clicker</li> <li>✔ Continuous</li> <li>✔ Flash</li> <li>✔ Rising</li> <li>✘ Decreasing</li> <li>✔ Warning Tone (sound cannot be disable)</li> </ul>
Rechargeable	<ul style="list-style-type: none"> <li>✔ Transmitter: USB and Wireless</li> <li>✔ Receiver: Cable and Wireless</li> </ul>	<ul style="list-style-type: none"> <li>✔ Transmitter: USB and Wireless</li> <li>✔ Receiver: Cable and Wireless</li> </ul>	<ul style="list-style-type: none"> <li>✘ Transmitter</li> <li>✔ Receiver: Cable and Wireless</li> </ul>
Waterproof	<ul style="list-style-type: none"> <li>✔ Transmitter</li> <li>✔ Receiver</li> </ul>	<ul style="list-style-type: none"> <li>✔ Transmitter</li> <li>✔ Receiver</li> </ul>	<ul style="list-style-type: none"> <li>✘ Transmitter</li> <li>✔ Receiver</li> </ul>
Backlit display	✔ Backlit display	✔ Backlit display	✘ Backlit display
Available in kit (Finger Kick included)	✔ Available in kit	✘ Available in kit	✘ Available in kit




<sup>1</sup> and <sup>2</sup> are unrelated and independent from each other.

## COMPARATIVE CHART

CHAMELEON III B			
Transmitter	CTT 4	K9	PT3000
Picture			
Radio Range Feedback on transmitter <sup>1</sup>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Contact measurement data</li> <li><input type="checkbox"/> Temperature of the collar (°C or °F)</li> <li><input type="checkbox"/> Battery level</li> <li><input type="checkbox"/> Radio Quality of Signal</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Contact measurement data</li> <li><input type="checkbox"/> Temperature of the collar (°C or °F)</li> <li><input type="checkbox"/> Battery level</li> <li><input type="checkbox"/> Radio Quality of Signal</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Contact measurement data</li> <li><input type="checkbox"/> Temperature of the collar (°C or °F)</li> <li><input type="checkbox"/> Battery level</li> <li><input type="checkbox"/> Radio Quality of Signal</li> </ul>
Doggify Connectivity	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Transmitter</li> <li><input checked="" type="checkbox"/> Receiver</li> </ul>	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Transmitter</li> <li><input checked="" type="checkbox"/> Receiver</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Transmitter</li> <li><input checked="" type="checkbox"/> Receiver</li> </ul>
Range Under Optimal Conditions <sup>2</sup>	Up to 1000 meters	Up to 1000 meters	Up to 1500 meters
Possibility to add extra collar(s) receiver(s)	<input checked="" type="checkbox"/> 1 to 2 collars	<input checked="" type="checkbox"/> 1 to 4 collars	<input checked="" type="checkbox"/> 2 collars
Finger Kick Compatibility	1 per stimulation buttons	1 per stimulation buttons	1 per stimulation buttons
Stimulation	18 levels – 2 to 4 buttons per dogs	18 levels – 1 to 4 buttons per dogs	18 levels – 2 buttons per dogs
Operating Mode (with/without Tone)	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Clicker</li> <li><input checked="" type="checkbox"/> Continuous</li> <li><input checked="" type="checkbox"/> Flash</li> <li><input checked="" type="checkbox"/> Rising</li> <li><input checked="" type="checkbox"/> Decreasing</li> <li><input checked="" type="checkbox"/> Warning Tone (sound cannot be disable)</li> </ul>	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Clicker</li> <li><input checked="" type="checkbox"/> Continuous</li> <li><input checked="" type="checkbox"/> Flash</li> <li><input checked="" type="checkbox"/> Rising</li> <li><input checked="" type="checkbox"/> Decreasing</li> <li><input checked="" type="checkbox"/> Warning Tone (sound cannot be disable)</li> </ul>	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Clicker</li> <li><input checked="" type="checkbox"/> Continuous</li> <li><input checked="" type="checkbox"/> Flash</li> <li><input checked="" type="checkbox"/> Rising</li> <li><input type="checkbox"/> Decreasing</li> <li><input checked="" type="checkbox"/> Warning Tone (sound cannot be disable)</li> </ul>
Rechargeable	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Transmitter: USB and Wireless</li> <li><input checked="" type="checkbox"/> Receiver: Cable and Wireless</li> </ul>	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Transmitter: USB and Wireless</li> <li><input checked="" type="checkbox"/> Receiver: Cable and Wireless</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Transmitter</li> <li><input checked="" type="checkbox"/> Receiver: Cable and Wireless</li> </ul>
Waterproof	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Transmitter</li> <li><input checked="" type="checkbox"/> Receiver</li> </ul>	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Transmitter</li> <li><input checked="" type="checkbox"/> Receiver</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Transmitter</li> <li><input checked="" type="checkbox"/> Receiver</li> </ul>
Backlit display	<input checked="" type="checkbox"/> Backlit display	<input checked="" type="checkbox"/> Backlit display	<input type="checkbox"/> Backlit display
Available in kit (Finger Kick included)	<input type="checkbox"/> Available in kit	<input checked="" type="checkbox"/> Available in kit	<input checked="" type="checkbox"/> Available in kit




<sup>1</sup> and <sup>2</sup> are unrelated and independent from each other.

## COMPARATIVE CHART

MICRO IV			
Transmitter	CTT 4	K9	PT3000 <small>(newer model only)</small>
Picture			
Radio Range Feedback on transmitter <sup>1</sup>	<ul style="list-style-type: none"> <li>✔ Contact measurement data</li> <li>✔ Temperature of the collar (°C or °F)</li> <li>✔ Battery level</li> <li>✔ Radio Quality of Signal</li> </ul>	<ul style="list-style-type: none"> <li>✘ Contact measurement data</li> <li>✘ Temperature of the collar (°C or °F)</li> <li>✘ Battery level</li> <li>✘ Radio Quality of Signal</li> </ul>	<ul style="list-style-type: none"> <li>✘ Contact measurement data</li> <li>✘ Temperature of the collar (°C or °F)</li> <li>✘ Battery level</li> <li>✘ Radio Quality of Signal</li> </ul>
Doggify Connectivity	<ul style="list-style-type: none"> <li>✔ Transmitter</li> <li>✔ Receiver</li> </ul>	<ul style="list-style-type: none"> <li>✔ Transmitter</li> <li>✔ Receiver</li> </ul>	<ul style="list-style-type: none"> <li>✘ Transmitter</li> <li>✔ Receiver</li> </ul>
Range Under Optimal Conditions <sup>2</sup>	Up to 1000 meters	Up to 1000 meters	Up to 1500 meters
Possibility to add extra collar(s) receiver(s)	✔ 1 to 2 collars	✔ 1 to 4 collars	✔ 2 collars
Finger Kick Compatibility	1 per stimulation buttons	1 per stimulation buttons	1 per stimulation buttons
Stimulation	18 levels – 2 to 4 buttons per dogs	18 levels – 1 to 4 buttons per dogs	18 levels – 2 buttons per dogs
Operating Mode (with/without Tone)	<ul style="list-style-type: none"> <li>✔ Clicker</li> <li>✔ Continuous</li> <li>✔ Flash</li> <li>✔ Rising</li> <li>✔ Decreasing</li> <li>✔ Warning Tone (sound cannot be disable)</li> </ul>	<ul style="list-style-type: none"> <li>✔ Clicker</li> <li>✔ Continuous</li> <li>✔ Flash</li> <li>✔ Rising</li> <li>✔ Decreasing</li> <li>✔ Warning Tone (sound cannot be disable)</li> </ul>	<ul style="list-style-type: none"> <li>✔ Clicker</li> <li>✔ Continuous</li> <li>✔ Flash</li> <li>✔ Rising</li> <li>✘ Decreasing</li> <li>✔ Warning Tone (sound cannot be disable)</li> </ul>
Rechargeable	<ul style="list-style-type: none"> <li>✔ Transmitter: USB and Wireless</li> <li>✔ Receiver: Cable</li> </ul>	<ul style="list-style-type: none"> <li>✔ Transmitter: USB and Wireless</li> <li>✔ Receiver: Cable</li> </ul>	<ul style="list-style-type: none"> <li>✘ Transmitter: USB and Wireless</li> <li>✔ Receiver: Cable</li> </ul>
Waterproof	<ul style="list-style-type: none"> <li>✔ Transmitter</li> <li>✔ Receiver</li> </ul>	<ul style="list-style-type: none"> <li>✔ Transmitter</li> <li>✔ Receiver</li> </ul>	<ul style="list-style-type: none"> <li>✘ Transmitter</li> <li>✔ Receiver</li> </ul>
Backlit display	✔ Backlit display	✔ Backlit display	✘ Backlit display
Available in kit (Finger Kick included)	✔ Available in kit	✘ Available in kit	✘ Available in kit

<sup>1</sup> and <sup>2</sup> are unrelated and independent from each other.

## COMPARATIVE CHART

MICRO TRAINER B			
Transmitter	CTT 4	K9	PT3000
Picture			
Radio Range Feedback on transmitter <sup>1</sup>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Contact measurement data</li> <li><input type="checkbox"/> Temperature of the collar (°C or °F)</li> <li><input type="checkbox"/> Battery level</li> <li><input type="checkbox"/> Radio Quality of Signal</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Contact measurement data</li> <li><input type="checkbox"/> Temperature of the collar (°C or °F)</li> <li><input type="checkbox"/> Battery level</li> <li><input type="checkbox"/> Radio Quality of Signal</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Contact measurement data</li> <li><input type="checkbox"/> Temperature of the collar (°C or °F)</li> <li><input type="checkbox"/> Battery level</li> <li><input type="checkbox"/> Radio Quality of Signal</li> </ul>
Doggify Connectivity	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Transmitter</li> <li><input checked="" type="checkbox"/> Receiver</li> </ul>	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Transmitter</li> <li><input checked="" type="checkbox"/> Receiver</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Transmitter</li> <li><input checked="" type="checkbox"/> Receiver</li> </ul>
Range Under Optimal Conditions <sup>2</sup>	Up to 1000 meters	Up to 1000 meters	Up to 1500 meters
Possibility to add extra collar(s) receiver(s)	<input checked="" type="checkbox"/> 1 to 2 collars	<input checked="" type="checkbox"/> 1 to 4 collars	<input checked="" type="checkbox"/> 2 collars
Finger Kick Compatibility	1 per stimulation buttons	1 per stimulation buttons	1 per stimulation buttons
Stimulation	18 levels – 2 to 4 buttons per dogs	18 levels – 1 to 4 buttons per dogs	18 levels – 2 buttons per dogs
Operating Mode (with/without Tone)	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Clicker</li> <li><input checked="" type="checkbox"/> Continuous</li> <li><input checked="" type="checkbox"/> Flash</li> <li><input checked="" type="checkbox"/> Rising</li> <li><input checked="" type="checkbox"/> Decreasing</li> <li><input checked="" type="checkbox"/> Warning Tone (sound cannot be disable)</li> </ul>	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Clicker</li> <li><input checked="" type="checkbox"/> Continuous</li> <li><input checked="" type="checkbox"/> Flash</li> <li><input checked="" type="checkbox"/> Rising</li> <li><input checked="" type="checkbox"/> Decreasing</li> <li><input checked="" type="checkbox"/> Warning Tone (sound cannot be disable)</li> </ul>	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Clicker</li> <li><input checked="" type="checkbox"/> Continuous</li> <li><input checked="" type="checkbox"/> Flash</li> <li><input checked="" type="checkbox"/> Rising</li> <li><input type="checkbox"/> Decreasing</li> <li><input checked="" type="checkbox"/> Warning Tone (sound cannot be disable)</li> </ul>
Rechargeable	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Transmitter: USB and Wireless</li> <li><input checked="" type="checkbox"/> Receiver: Cable</li> </ul>	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Transmitter: USB and Wireless</li> <li><input checked="" type="checkbox"/> Receiver: Cable</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Transmitter</li> <li><input checked="" type="checkbox"/> Receiver: Cable</li> </ul>
Waterproof	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Transmitter</li> <li><input checked="" type="checkbox"/> Receiver</li> </ul>	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> Transmitter</li> <li><input checked="" type="checkbox"/> Receiver</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Transmitter</li> <li><input checked="" type="checkbox"/> Receiver</li> </ul>
Backlit display	<input checked="" type="checkbox"/> Backlit display	<input checked="" type="checkbox"/> Backlit display	<input type="checkbox"/> Backlit display
Available in kit (Finger Kick included)	<input type="checkbox"/> Available in kit	<input checked="" type="checkbox"/> Available in kit	<input checked="" type="checkbox"/> Available in kit

<sup>1</sup> and <sup>2</sup> are unrelated and independent from each other.